BANKI KUU YA KENYA



CENTRAL
BANK OF
KENYA

Haile Selassie Avenue
P.O. Box 60000 - 00200 Nairobi Kenya

Telephone: 2861000/2863000 Fax 340192/250783

NATIONAL COMPETITIVE TENDER

TENDER NO: CBK/014/2014-2015

SUPPLY, DELIVERY AND COMMISSIONING OF

COMPUTER SERVERS AT THE CENTRAL

BANK OF KENYA

**CLOSING DATE: 12<sup>TH</sup> SEPTEMBER 2014** 

# TABLE OF CONTENTS

			PAGE
SECTION I		INVITATION TO TENDER	3
SECTION II		INSTRUCTIONS TO TENDERERS	4
SECTION III		GENERAL CONDITIONS OF CONTRACT	15
SECTION IV		SPECIAL CONDITIONS OF CONTRACT	19
SECTION V		TECHNICAL SPECIFICATIONS	20
SECTION VI		SCHEDULE OF REQUIREMENTS	32
SECTION VI	I	PRICE SCHEDULE FOR GOODS	33
SECTION VI	II	EVALUATION CRITERIA	34
SECTION IX		STANDARD FORMS	37
	8.1	FORM OF TENDER	
	8.2	CONFIDENTIAL BUSINESS QUESTIONNAIRES FORMS	38
	8.3	TENDER SECURITY FORM	39
	8.4	CONTRACT FORM	40
	8.5	PERFORMANCE SECURITY FORM	41
	8.6	BANK GUARANTTE FOR ADVANCE PAYMENT FORM	42
	8.7	MANUFACTURER'S AUTHORIZATION FORM	43

#### SECTION I INVITATION TO TENDER

DATE: 28th August 2014

# TENDER REF NO: TENDER NO: CBK/014/2014-2015- SUPPLY, DELIVERY AND COMMISSIONING OF SERVERS

- 1. The Central Bank of Kenya invites tenders for **Supply, Delivery and Commissioning of Servers**
- 2. Complete Tender documents may be obtained from the Director, Procurement and Logistics, 5<sup>th</sup> floor Central Bank of Kenya Head Office, Nairobi from Monday to Friday, between 9.00 a.m. and 2.00 Pm upon payment of a non-refundable fee of KShs 1,000/= in cash or Banker's cheque OR be downloaded from the CBK website; www.centralbank.go.ke FREE OF CHARGE. Those who choose to download from the website must however fill their details in the Tender Register at the Supplies Division on 5<sup>th</sup> Floor of Central Bank of Kenya Head Office.
- 3. Tender documents duly completed in sealed envelopes clearly marked Tender No CBK/ 014/2014-2015 should be deposited in the Green Tender Box No.3 on the Ground Floor of the Main Entrance of the CBK Building on Haile Selassie Avenue Nairobi on or before 12<sup>th</sup> September 2014 at 10:30 a.m. Late bids will not be accepted and will be returned unopened.
- 4. All tenders must be accompanied by a **Bid Bond/ Tender Security of Kshs 50,000.00 and in the format provided in the Tender Document.** Failure to attach the bid bond will lead to automatic rejection of the tender.
- 5. Prices quoted should be inclusive of all relevant taxes and delivery charges to Central Bank of Kenya and shall remain valid for 120 days from the closing date of the tender.
- 6. Tenders will be opened publicly on DEST Conference Room 5<sup>th</sup> Floor Central Bank of Kenya Head Office in Nairobi on **12<sup>th</sup> September 2014 at 10:30 a.m.**, interested tenderers or their representatives may attend the tender opening ceremony.
- 7. Further information as pertains to this tender may be obtained from the Office of the Director, Procurement and Logistics, (Tel: +254 20 2861000/2860000 Fax: +254 20 2863497, +254 20 310604), Fifth Floor, Central Bank of Kenya, Haile Selassie Avenue Nairobi during working hours from Monday to Friday, comms@centralbank.go.ke.

#### **DIRECTOR**

#### PROCUREMENT AND LOGISTICS SERVICES

#### SECTION II - INSTRUCTIONS TO TENDERERS

## 2.1 Eligible Tenderers

- 2.1.1 This Invitation for Tenders is open to all tenderers eligible as described in the Invitation to Tender. Successful tenderers shall complete supply of goods by the intended completion date specified in the Schedule of Requirements Section VI.
- 2.1.2 The procuring entity's employees, committee members, board members and their relative (spouse and children) are not eligible to participate in the tender.
- 2.1.3 Tenderers shall provide the qualification information statement that the tenderer (including all members of a joint venture and subcontractors) is not associated, or have been associated in the past, directly or indirectly, with a firm or any of its affiliates which have been engaged by the Procuring entity to provide consulting services for the preparation of the design, specifications, and other documents to be used for the procurement of the goods under this Invitation for tenders.
- 2.1.4 Tenderers shall not be under a declaration of ineligibility for corrupt and fraudulent practices.

## 2.2 Eligible Goods

- 2.2.1 All goods to be supplied under the contract shall have their origin in eligible source countries.
- 2.2.2 For purposes of this clause, "origin" means the place where the goods are mined, grown, or produced. Goods are produced when, through manufacturing, processing, or substantial and major assembly of components, a commercially-recognized product results that is substantially different in basic characteristics or in purpose or utility from its components
- 2.2.3 The origin of goods is distinct from the nationality of the tenderer.

#### 2.3 Cost of Tendering

- 2.3.1 The Tenderer shall bear all costs associated with the preparation and submission of its tender, and the procuring entity, will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the tendering process.
- 2.3.2 The price to be charged for the tender document shall be Kshs 1,000.00 for hard copies and at no cost for those who download from the Bank's website.
- 2.3.3 All firms found capable of performing the contract satisfactorily in accordance with the set prequalification criteria shall be prequalified.

#### 2.4. The Tender Document

- 2.4.1 The tender document comprises the documents listed below and addenda issued in accordance with clause 2.6 of these instructions to Tenderers
  - (i) Invitation to Tender
  - (ii) Instructions to tenderers

- (iii) General Conditions of Contract
- (iv) Special Conditions of Contract
- (v) Schedule of requirements
- (vi) Technical Specifications
- (vii) Tender Form and Price Schedules
- (viii) Tender Security Form
- (ix) Contract Form
- (x) Performance Security Form
- (xi) Bank Guarantee for Advance Payment Form
- (xii) Manufacturer's Authorization Form
- (xiii) Confidential Business Questionnaire
- 2.4.2 The Tenderer is expected to examine all instructions, forms, terms, and specifications in the tender documents. Failure to furnish all information required by the tender documents or to submit a tender not substantially responsive to the tender documents in every respect will be at the tenderers risk and may result in the rejection of its tender.

#### 2.5 Clarification of Documents

- 2.5.1 A prospective tenderer requiring any clarification of the tender document may notify the Procuring entity in writing or by post at the entity's address indicated in the Invitation to Tender. The Procuring entity will respond in writing to any request for clarification of the tender documents, which it receives not later than seven (7) days prior to the deadline for the submission of tenders, prescribed by the procuring entity. Written copies of the Procuring entities response (including an explanation of the query but without identifying the source of inquiry) will be sent to all prospective tenderers that have received the tender document.
- 2.5.2 The procuring entity shall reply to any clarifications sought by the tenderer within 3 days of receiving the request to enable the tenderer to make timely submission of its tender.

#### 2.6 Amendment of Documents

- 2.6.1 At any time prior to the deadline for submission of tenders, the Procuring entity, for any reason, whether at its own initiative or in response to a clarification requested by a prospective tenderer, may modify the tender documents by amendment.
- 2.6.2 All prospective candidates that have received the tender documents will be notified of the amendment in writing or by post and will be binding on them.
- 2.6.3 In order to allow prospective tenderers reasonable time in which to take the amendment into account in preparing their tenders, the Procuring entity, at its discretion, may extend the deadline for the submission of tenders.

## 2.7 Language of Tender

2.7.1 The tender prepared by the tenderer, as well as all correspondence and documents relating to the tender exchange by the tenderer and the Procuring entity, shall be

written in English language, provided that any printed literature furnished by the tenderer may be written in another language provided they are accompanied by an accurate English translation of the relevant passages in which case, for purposes of interpretation of the tender, the English translation shall govern.

## 2.8 **Documents Comprising of Tender**

- 2.8.1 The tender prepared by the tenderers shall comprise the following components
  - (a) a Tender Form and a Price Schedule completed in accordance with paragraph 2.9, 2.10 and 2.11 below
  - (b) documentary evidence established in accordance with paragraph 2.1 that the tenderer is eligible to tender and is qualified to perform the contract if its tender is accepted;
  - (c) documentary evidence established in accordance with paragraph 2.2 that the goods and ancillary services to be supplied by the tenderer are eligible goods and services and conform to the tender documents; and
  - (d) tender security furnished in accordance with paragraph 2.14

#### 2.9 Tender Forms

2.9.1 The tenderer shall complete the Tender Form and the appropriate Price Schedule furnished in the tender documents, indicating the goods to be supplied, a brief description of the goods, their country of origin, quantity, and prices.

#### 2.10 **Tender Prices**

- 2.10.1 The tenderer shall indicate on the appropriate Price Schedule the unit prices and total tender price of the goods it proposes to supply under the contract
- 2.10.2 Prices indicated on the Price Schedule shall include all costs including taxes, insurances and delivery to the premises of the entity.
- 2.10.3 Prices quoted by the tenderer shall be fixed during the Tender's performance of the contract and not subject to variation on any account. A tender submitted with an adjustable price quotation will be treated as non-responsive and will be rejected, pursuant to paragraph 2.22
- 2.10.4 The validity period of the tender shall be 120 days from the date of opening of the tender.

#### 2.11 Tender Currencies

2.11.1 Prices shall be quoted in Kenya Shillings unless otherwise specified in the Appendix to Instructions to Tenderers.

## 2.12 Tenderers Eligibility and Qualifications

2.12.1 Pursuant to paragraph 2.1. The tenderer shall furnish, as part of its tender, documents establishing the tenderers eligibility to tender and its qualifications to perform the contract if its tender is accepted.

- 2.12.2 The documentary evidence of the tenderers eligibility to tender shall establish to the Procuring entity's satisfaction that the tenderer, at the time of submission of its tender, is from an eligible source country as defined under paragraph 2.1
- 2.12.3 The documentary evidence of the tenderers qualifications to perform the contract if its tender is accepted shall be established to the Procuring entity's satisfaction;
  - (a) that, in the case of a tenderer offering to supply goods under the contract which the tenderer did not manufacture or otherwise produce, the tenderer has been duly authorized by the goods' Manufacturer or producer to supply the goods.
  - (b) that the tenderer has the financial, technical, and production capability necessary to perform the contract;
  - (c) that, in the case of a tenderer not doing business within Kenya, the tenderer is or will be (if awarded the contract) represented by an Agent in Kenya equipped, and able to carry out the Tenderer's maintenance, repair, and spare parts-stocking obligations prescribed in the Conditions of Contract and/or Technical Specifications.

#### 2.13 Goods Eligibility and Conformity to Tender Documents

- 2.13.1 Pursuant to paragraph 2.2 of this section, the tenderer shall furnish, as part of its tender documents establishing the eligibility and conformity to the tender documents of all goods which the tenderer proposes to supply under the contract
- 2.13.2 The documentary evidence of the eligibility of the goods shall consist of a statement in the Price Schedule of the country of origin of the goods and services offered which shall be confirmed by a certificate of origin issued at the time of shipment.
- 2.13.3 The documentary evidence of conformity of the goods to the tender documents may be in the form of literature, drawings, and data, and shall consist of:
  - (a) a detailed description of the essential technical and performance characteristic of the goods;
  - (b) a list giving full particulars, including available source and current prices of spare parts, special tools, etc., necessary for the proper and continuing functioning of the goods for a period of two (2) years, following commencement of the use of the goods by the Procuring entity; and
  - (c) a clause-by-clause commentary on the Procuring entity's Technical Specifications demonstrating substantial responsiveness of the goods and service to those specifications, or a statement of deviations and exceptions to the provisions of the Technical Specifications.
- 2.13.4 For purposes of the documentary evidence to be furnished pursuant to paragraph 2.13.3(c) above, the tenderer shall note that standards for workmanship, material, and equipment, as well as references to brand names or catalogue numbers designated by the Procurement entity in its Technical Specifications, are intended to be descriptive only and not restrictive. The tenderer may substitute alternative standards, brand names, and/or catalogue numbers in its tender, provided that it demonstrates to the Procurement entity's satisfaction that the substitutions ensure substantial equivalence to those designated in the Technical Specifications.

## 2.14 Tender Security

- 2.14.1 The tenderer shall furnish, as part of its tender, a tender security for the amount specified in the Appendix to Invitation to Tenderers.
- 2.14.2 The tender security shall be in the amount Kshs 50,000.00.
- 2.14.3 The tender security is required to protect the Procuring entity against the risk of Tenderer's conduct which would warrant the security's forfeiture, pursuant to paragraph 2.14.7
- 2.14.4 The tender security shall be denominated in Kenya Shillings or in another freely convertible currency, and shall be in the form of a bank guarantee or a bank draft issued by a reputable bank located in Kenya or abroad, or a guarantee issued by a reputable insurance company (as listed by the Public Procurement Oversight Authority) and in the form provided in the tender documents or another form acceptable to the Procuring entity and valid for thirty (30) days beyond the validity of the tender.
- 2.14.5 Any tender not secured in accordance with paragraph 2.14.1 and 2.14.3 will be rejected by the Procuring entity as non-responsive, pursuant to paragraph 2.22
- 2.14.6 Unsuccessful Tenderer's tender security will be discharged or returned as promptly as possible, but not later than thirty (30) days after the expiration of the period of tender validity prescribed by the Procuring entity.
- 2.14.7 The successful Tenderer's tender security will be discharged upon the tenderer signing the contract, pursuant to paragraph 2.27 and furnishing the performance security, pursuant to paragraph 2.28
- 2.14.8 The tender security may be forfeited:
  - (a) if a tenderer withdraws its tender during the period of tender validity specified by the procuring entity on the Tender Form; or
  - (b) in the case of a successful tenderer, if the tenderer fails:
    - (i) to sign the contract in accordance with paragraph 2.27 or
    - (ii) to furnish performance security in accordance with paragraph 2.28

#### 2.15 Validity of Tenders

- 2.15.1 Tenders shall remain valid for 120 days or as specified in the Invitation to Tender after the date of tender opening prescribed by the Procuring entity, pursuant to paragraph 2.18. A tender valid for a shorter period shall be rejected by the Procuring entity as non-responsive.
- 2.15.2 In exceptional circumstances, the Procuring entity may solicit the Tenderer's consent to an extension of the period of validity. The request and the responses thereto shall be made in writing. The tender security provided under paragraph 2.14 shall also be suitably extended. A tenderer may refuse the request without

forfeiting its tender security. A tenderer granting the request will not be required nor permitted to modify its tender.

#### 2.16 Format and Signing of Tender

- 2.16.1 The tenderer shall prepare two copies of the tender, clearly marking each "ORIGINAL TENDER" and "COPY OF TENDER," as appropriate. In the event of any discrepancy between them, the original shall govern.
- 2.16.2 The original and all copies of the tender shall be typed or written in indelible ink and shall be signed by the tenderer or a person or persons duly authorized to bind the tenderer to the contract. The latter authorization shall be indicated by written power-of-attorney accompanying the tender. All pages of the tender, except for unamended printed literature, shall be initialled by the person or persons signing the tender.
- 2.16.3 The tender shall have no interlineations, erasures, or overwriting except as necessary to correct errors made by the tenderer, in which case such corrections shall be initialled by the person or persons signing the tender.

#### 2.17 Sealing and Marking of Tenders

- 2.17.1 The Tenderer shall seal the original and each copy of the tender in separate envelopes, duly marking the envelopes as "ORIGINAL" and "COPY." The envelopes shall then be sealed in an outer envelope.
- 2.17.2 The inner and outer envelopes shall:
  - (a) be addressed to the Procuring entity at the address given in the Invitation to Tender:
  - (b) bear, tender number and name in the Invitation for Tenders and words, "DO NOT OPEN BEFORE," 12<sup>th</sup> September 2014.
- 2.17.3 The inner envelopes shall also indicate the name and address of the tenderer to enable the tender to be returned unopened in case it is declared "late".
- 2.17.4 If the outer envelope is not sealed and marked as required by paragraph 2.17.2, the Procuring entity will assume no responsibility for the tender's misplacement or premature opening.

#### 2.18 **Deadline for Submission of Tenders**

- 2.18.1 Tenders must be received by the Procuring entity at the address specified under paragraph 2.17.2 no later than 12<sup>th</sup> September 2014 at 10:30 a.m.
- 2.18.2 The Procuring entity may, at its discretion, extend this deadline for the submission of tenders by amending the tender documents in accordance with paragraph 2.6, in which case all rights and obligations of the Procuring entity and candidates previously subject to the deadline will therefore be subject to the deadline as extended

## 2.19 Modification and Withdrawal of Tenders

- 2.19.1 The tenderer may modify or withdraw its tender after the tender's submission, provided that written notice of the modification, including substitution or withdrawal of the tenders, is received by the Procuring Entity prior to the deadline prescribed for submission of tenders.
- 2.19.2 The Tenderer's modification or withdrawal notice shall be prepared, sealed, marked, and dispatched in accordance with the provisions of paragraph 2.17. A withdrawal notice may also be sent by cable, telex but followed by a signed confirmation copy, postmarked no later than the deadline for submission of tenders.
- 2.19.3 No tender may be modified after the deadline for submission of tenders.
- 2.19.4 No tender may be withdrawn in the interval between the deadline for submission of tenders and the expiration of the period of tender validity specified by the tenderer on the Tender Form. Withdrawal of a tender during this interval may result in the Tenderer's forfeiture of its tender security, pursuant to paragraph 2.14.7
- 2.19.5 The procuring entity may at any time terminate procurement proceedings before contract award and shall not be liable to any person for the termination.
- 2.19.6 The procuring entity shall give prompt notice of the termination to the tenderers and on request give its reasons for termination within 14 days of receiving the request from any tenderer.

#### 2.20 Opening of Tenders

- 2.20.1 The Procuring entity will open all tenders in the presence of tenderers' representatives who choose to attend, at 10:30 a.m. 12<sup>th</sup> September 2014 and in the location specified in the Invitation to Tender. The tenderers' representatives who are present shall sign a register evidencing their attendance.
- 2.20.2 The tenderers' names, tender modifications or withdrawals, tender prices, discounts and the presence or absence of requisite tender security and such other details as the Procuring entity, at its discretion, may consider appropriate, will be announced at the opening.
- 2.20.3 The Procuring entity will prepare minutes of the tender opening.

## 2.21 Clarification of Tenders

2.21.1 To assist in the examination, evaluation and comparison of tenders the Procuring entity may, at its discretion, ask the tenderer for a clarification of its tender. The request for clarification and the response shall be in writing, and no change in the prices or substance of the tender shall be sought, offered, or permitted.

2.21.2 Any effort by the tenderer to influence the Procuring entity in the Procuring entity's tender evaluation, tender comparison or contract award decisions may result in the rejection of the tenderers' tender.

#### 2.22 Preliminary Examination

- 2.22.1 The Procuring entity will examine the tenders to determine whether they are complete, whether any computational errors have been made, whether required sureties have been furnished, whether the documents have been properly signed, and whether the tenders are generally in order.
- 2.22.2 Arithmetical errors will be rectified on the following basis. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantify, the unit price shall prevail, and the total price shall be corrected. If the candidate does not accept the correction of the errors, its tender will be rejected, and its tender security forfeited. If there is a discrepancy between words and figures the amount in words will prevail
- 2.22.3 The Procuring entity may waive any minor informality or non-conformity or irregularity in a tender which does not constitute a material deviation, provided such waiver does not prejudice or effect the relative ranking of any tenderer.
- 2.22.4 Prior to the detailed evaluation, pursuant to paragraph 2.23 the Procuring entity will determine the substantial responsiveness of each tender to the tender documents. For purposes of these paragraphs, a substantially responsive tender is one, which conforms to all the terms and conditions of the tender documents without material deviations. The Procuring entity's determination of a tender's responsiveness is to be based on the contents of the tender itself without recourse to extrinsic evidence.
- 2.22.5 If a tender is not substantially responsive, it will be rejected by the Procuring entity and may not subsequently be made responsive by the tenderer by correction of the non-conformity.

## 2.23 Conversion to Single Currency

2.23.1 Where other currencies are used, the procuring entity will convert these currencies to Kenya Shillings using the selling exchange rate on the date of tender closing provided by the Central Bank of Kenya.

#### 2.24 Evaluation and Comparison of Tenders

- 2.24.1 The Procuring entity will evaluate and compare the tenders which have been determined to be substantially responsive, pursuant to paragraph 2.22
- 2.24.2 The tender evaluation committee shall evaluate the tender within 15 days of the validity period from the date of opening the tender.
- 2.24.3 A tenderer who gives false information in the tender document about its qualification or who refuses to enter into a contract after notification of contract

award shall be considered for debarment from participating in future public procurement.

#### 2.25 Preference

2.25.1 Preference where applicable shall not exceed 15%

## 2.26 Contacting the Procuring entity

- 2.26.1 Subject to paragraph 2.21 no tenderer shall contact the Procuring entity on any matter related to its tender, from the time of the tender opening to the time the contract is awarded.
- 2.26.2 Any effort by a tenderer to influence the Procuring entity in its decisions on tender, evaluation, tender comparison, or contract award may result in the rejection of the Tenderer's tender

#### 2.27 Award of Contract

#### (a) **Post-qualification**

- 2.27.1 In the absence of pre-qualification, the Procuring entity will determine to its satisfaction whether the tenderer that is selected as having submitted the lowest evaluated responsive tender is qualified to perform the contract satisfactorily.
- 2.27.2 The determination will take into account the tenderer financial, technical, and production capabilities. It will be based upon an examination of the documentary evidence of the tenderers qualifications submitted by the tenderer, pursuant to paragraph 2.12.3 as well as such other information as the Procuring entity deems necessary and appropriate.
- 2.27.3 An affirmative determination will be a prerequisite for award of the contract to the tenderer. A negative determination will result in rejection of the Tenderer's tender, in which event the Procuring entity will proceed to the next lowest evaluated tender to make a similar determination of that Tenderer's capabilities to perform satisfactorily.

#### (b) Award Criteria

2.27.4 The Procuring entity will award the contract to the successful tenderer(s) whose tender has been determined to be substantially responsive and has been determined to be the lowest evaluated tender, provided further that the tenderer is determined to be qualified to perform the contract satisfactorily.

## (c) Procuring entity's Right to Vary quantities

2.27.5 The Procuring entity reserves the right at the time of contract award to increase or decrease the quantity of goods originally specified in the Schedule of requirements without any change in unit price or other terms and conditions

#### (d) Procuring entity's Right to Accept or Reject Any or All Tenders

2.27.6 The Procuring entity reserves the right to accept or reject any tender, and to annul the tendering process and reject all tenders at any time prior to contract award, without thereby incurring any liability to the affected tenderer or tenderers or any obligation to inform the affected tenderer or tenderers of the grounds for the Procuring entity's action

#### 2.28 Notification of Award

- 2.28.1 Prior to the expiration of the period of tender validity, the Procuring entity will notify the successful tenderer in writing that its tender has been accepted.
- 2.28.2 The notification of award will constitute the formation of the Contract but will have to wait until the contract is finally signed by both parties
- 2.28.3 Upon the successful Tenderer's furnishing of the performance security pursuant to paragraph 2.28, the Procuring entity will promptly notify each unsuccessful Tenderer and will discharge its tender security, pursuant to paragraph 2.14

## 2.29 Signing of Contract

- 2.29.1 At the same time as the Procuring entity notifies the successful tenderer that its tender has been accepted, the Procuring entity will send the tenderer the Contract Form provided in the tender documents, incorporating all agreements between the parties.
- 2.29.2 The parties to the contract shall have it signed within 30 days from the date of notification of contract award unless there is an administrative review request.
- 2.29.3 Within thirty (30) days of receipt of the Contract Form, the successful tenderer shall sign and date the contract and return it to the Procuring entity.

#### 2.30 Performance Security

- 2.30.1 Within Thirty (30) days of the receipt of notification of award from the Procuring entity, the successful tenderer shall furnish the performance security in accordance with the Conditions of Contract, in the Performance Security Form provided in the tender documents, or in another form acceptable to the Procuring entity.
- 2.30.2 Failure of the successful tenderer to comply with the requirements of paragraph 2.27 or paragraph 2.28 shall constitute sufficient grounds for the annulment of the award and forfeiture of the tender security, in which event the Procuring entity may make the award to the next lowest evaluated Candidate or call for new tenders.

#### 2.31 Corrupt or Fraudulent Practices

- 2.31.1 The Procuring entity requires that tenderers observe the highest standard of ethics during the procurement process and execution of contracts when used in the present regulations, the following terms are defined as follows;
  - (i) "corrupt practice" means the offering, giving, receiving, or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution; and

- (ii) "fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Procuring entity, and includes collusive practice among tenderer (prior to or after tender submission) designed to establish tender prices at artificial non-competitive levels and to deprive the Procuring entity of the benefits of free and open competition;
- 2.31.2 The procuring entity will reject a proposal for award if it determines that the tenderer recommended for award has engaged in corrupt or fraudulent practices in competing for the contract in question.
- 2.31.3 Further a tenderer who is found to have indulged in corrupt or fraudulent practices risks being debarred from participating in public procurement in Kenya.

#### SECTION III - GENERAL CONDITIONS OF CONTRACT

#### 3.1 **Definitions**

- 3.1.1 In this Contract, the following terms shall be interpreted as indicated:-
  - (a) "The Contract" means the agreement entered into between the Procuring entity and the tenderer, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
  - (b) "The Contract Price" means the price payable to the tenderer under the Contract for the full and proper performance of its contractual obligations
  - (c) "The Goods" means all of the equipment, machinery, and/or other materials, which the tenderer is required to supply to the Procuring entity under the Contract.
  - (d) "The Procuring entity" means the organization purchasing the Goods under this Contract.
  - (e) "The Tenderer' means the individual or firm supplying the Goods under this Contract.

## 3.2 **Application**

3.2.1 These General Conditions shall apply in all Contracts made by the Procuring entity for the procurement installation and commissioning of equipment

## 3.3 **Country of Origin**

3.3.1 For purposes of this clause, "Origin" means the place where the Goods were mined, grown or produced.

3.3.2 The origin of Goods and Services is distinct from the nationality of the tenderer.

#### 3.4 **Standards**

3.4.1 The Goods supplied under this Contract shall conform to the standards mentioned in the Technical Specifications.

#### 3.5 Use of Contract Documents and Information

- 3.5.1 The tenderer shall not, without the Procuring entity's prior written consent, disclose the Contract, or any provision therefore, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the Procuring entity in connection therewith, to any person other than a person employed by the tenderer in the performance of the Contract.
- 3.5.2 The tenderer shall not, without the Procuring entity's prior written consent, make use of any document or information enumerated in paragraph 3.5.1 above
- 3.5.3 Any document, other than the Contract itself, enumerated in paragraph 3.5.1 shall remain the property of the Procuring entity and shall be returned (all copies) to the Procuring entity on completion of the Tenderer's performance under the Contract if so required by the Procuring entity

#### 3.6 **Patent Rights**

3.6.1 The tenderer shall indemnify the Procuring entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof in the Procuring entity's country

#### 3.7 **Performance Security**

- 3.7.1 Within thirty (30) days of receipt of the notification of Contract award, the successful tenderer shall furnish to the Procuring entity the performance security in the amount specified in Special Conditions of Contract.
- 3.7.2 The proceeds of the performance security shall be payable to the Procuring entity as compensation for any loss resulting from the Tenderer's failure to complete its obligations under the Contract.
- 3.7.3 The performance security shall be denominated in the currency of the Contract, or in a freely convertible currency acceptable to the Procuring entity and shall be in the form of a bank guarantee or an irrevocable letter of credit issued by a reputable bank located in Kenya or abroad, acceptable to the Procuring entity, in the form provided in the tender documents.
- 3.7.4 The performance security will be discharged by the Procuring entity and returned to the Candidate not later than thirty (30) days following the date of completion of the Tenderer's performance obligations under the Contract,

3.7.5 including any warranty obligations, under the Contract

## 3.8 **Inspection and Tests**

- 3.8.1 The Procuring entity or its representative shall have the right to inspect and/or to test the goods to confirm their conformity to the Contract specifications. The Procuring entity shall notify the tenderer in writing in a timely manner, of the identity of any representatives retained for these purposes.
- 3.8.2 The inspections and tests may be conducted in the premises of the tenderer or its subcontractor(s), at point of delivery, and/or at the Goods' final destination. If conducted on the premises of the tenderer or its subcontractor(s), all reasonable facilities and assistance, including access to drawings and production data, shall be furnished to the inspectors at no charge to the Procuring entity.
- 3.8.3 Should any inspected or tested goods fail to conform to the Specifications, the Procuring entity may reject the equipment, and the tenderer shall either replace the rejected equipment or make alterations necessary to make specification requirements free of costs to the Procuring entity.
- 3.8.4 The Procuring entity's right to inspect, test and where necessary, reject the goods after the Goods' arrival shall in no way be limited or waived by reason of the equipment having previously been inspected, tested and passed by the Procuring entity or its representative prior to the equipment delivery.
- 3.8.5 Nothing in paragraph 3.8 shall in any way release the tenderer from any warranty or other obligations under this Contract.

#### 3.9 **Packing**

- 3.9.1 The tenderer shall provide such packing of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the Contract.
- 3.9.2 The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract

#### 3.10 **Delivery and Documents**

3.10.1 Delivery of the Goods shall be made by the tenderer in accordance with the terms specified by Procuring entity in its Schedule of Requirements and the Special Conditions of Contract

#### 3.11 **Insurance**

3.11.1 The Goods supplied under the Contract shall be fully insured against loss or damage incidental to manufacturer or acquisition, transportation, storage, and delivery in the manner specified in the Special conditions of contract.

#### 3.12 **Payment**

- 3.12.1 The method and conditions of payment to be made to the tenderer under this Contract shall be specified in Special Conditions of Contract
- 3.12.2 Payments shall be made promptly by the Procuring entity as specified in the contract

#### 3.13 Prices

- 3.13.1 Prices charged by the tenderer for goods delivered and services performed under the Contract shall not, with the exception of any price adjustments authorized in Special Conditions of Contract, vary from the prices by the tenderer in its tender.
- 3.13.2 Contract price variations shall not be allowed for contracts not exceeding one year (12 months)
- 3.13.3 Where contract price variation is allowed, the variation shall not exceed 10% of the original contract price.
- 3.13.4 Price variation request shall be processed by the procuring entity within 30 days of receiving the request.

## 3.14. Assignment

3.14.1 The tenderer shall not assign, in whole or in part, its obligations to perform under this Contract, except with the Procuring entity's prior written consent

#### 3.15 Subcontracts

3.15.1 The tenderer shall notify the Procuring entity in writing of all subcontracts awarded under this Contract if not already specified in the tender. Such notification, in the original tender or later, shall not relieve the tenderer from any liability or obligation under the Contract

#### 3.16 Termination for default

- 3.16.1 The Procuring entity may, without prejudice to any other remedy for breach of Contract, by written notice of default sent to the tenderer, terminate this Contract in whole or in part
  - (a) if the tenderer fails to deliver any or all of the goods within the period(s) specified in the Contract, or within any extension thereof granted by the Procuring entity
  - (b) if the tenderer fails to perform any other obligation(s) under the Contract
  - (c) if the tenderer, in the judgment of the Procuring entity has engaged in corrupt or fraudulent practices in competing for or in executing the Contract
- 3.16.2 In the event the Procuring entity terminates the Contract in whole or in part, it may procure, upon such terms and in such manner as it deems appropriate, equipment similar

to those undelivered, and the tenderer shall be liable to the Procuring entity for any excess costs for such similar goods.

#### 3.17 Liquidated Damages

3.17.1. If the tenderer fails to deliver any or all of the goods within the period(s) specified in the contract, the procuring entity shall, without prejudice to its other remedies under the contract, deduct from the contract prices liquidated damages sum equivalent to 0.5% of the delivered price of the delayed items up to a maximum deduction of 10% of the delayed goods. After this the tenderer may consider termination of the contract.

## 3.18 Resolution of Disputes

- 3.18.1 The procuring entity and the tenderer shall make every effort to resolve amicably by direct informal negotiation and disagreement or dispute arising between them under or in connection with the contract
- 3.18.2 If, after thirty (30) days from the commencement of such informal negotiations both parties have been unable to resolve amicably a contract dispute, either party may require adjudication in an agreed national or international forum, and/or international arbitration.

## 3.19 Language and Law

3.19.1 The language of the contract and the law governing the contract shall be English language and the Laws of Kenya respectively unless otherwise stated.

## 3.20 Force Majeure

3.20.1 The tenderer shall not be liable for forfeiture of its performance security or termination for default if and to the extent that it's delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.

#### SECTION IV- SPECIAL CONDITIONS OF CONTRACT

The following Special Conditions of Tender shall in addition to the General Conditions of Tender in Section III form part of the contract.

## 1. Buying of Tender Documents

The documents may be purchased from the Bank at Kshs 1,000.00 or be downloaded from the Bank's website at no cost. In both cases the bidders must register details in the tender register at Central Bank Building 5<sup>th</sup> Floor.

#### 2. Performance Bond

The amount of the Performance Bond shall be 10% of the contract sum and shall be in the form of a Bank Guarantee conforming to the format set out in appendix III of this Tender document and shall remain in force throughout the contract period. The contract sum for purpose of performance Bond shall be adjusted downward in accordance with the value of deliveries.

## 3. Payment

Payments shall be made in currency used in submission and against satisfactory delivery, installation, commissioning and testing of the order as placed by the Bank.

## 4. Bidding

The tenderer may quote for all the equipment in the various categories **or** for **ANY** of the equipment in any category. It is not mandatory to quote for all items in each category

#### **Specifications**

**5.** The tenderer must reproduce the Specifications of the machines quoted for and also submit brochures and relevant literature.

#### **SECTION V - TECHNICAL SPECIFICATIONS**

#### 5.1 GENERAL

- 5.1.1 These specifications describe the requirements for goods. Tenderers are requested to submit with their offers the detailed specifications, drawings, catalogues, etc. for the products they intend to supply.
- 5.1.2 Tenderers must indicate on the specifications sheets whether the equipment offered comply with each specified requirement.
- 5.1.3 All the dimensions and capacities of the equipment to be supplied shall not be less than those required in these specifications. Deviations from the basic requirements, if any shall be explained in detail in writing with the offer, with supporting data such as calculation sheets, etc. The procuring entity reserves the right to reject the products, if such deviations shall be found critical to the use and operation of the products.
- 5.1.4 The tenderers are requested to present information along with their offers as follows:
  - (i) Shortest possible delivery period of each product
  - (ii) Information on proper representative and/or workshop for back-up service/repair and maintenance including their names and addresses.

#### 5.2 PARTICULARS TECHNICAL SPECIFICATIONS

1: Blade Server	MINIMUM REQUIREMENTS			
Quantity	4 (four)			
Processor	Processor: Intel® Xeon® Processor E5-2600 / minimum 2.13GHz			
	No. of processors 2			
System Memory	32GB			
Form Factor	Blade			
	To fit in existing H Series Chassis			
	Server: HS23 Model			
Operating System Minimum Windows 2008				
Fiber Channel Compatible with IBM eServer BladeCenter H				
Internal Storage At least 2TB				
RAID support	RAID 0, 1			
Warranty 3-year on-site warranty (parts and labor)				
Preventive Maintenance during Twice a year				
warranty period				
These are MINIMIM Specifications only Suppliers must meet or exceed these specifications. It should be noted that				

These are **MINIMUM** Specifications only. Suppliers must meet or exceed these specifications. It should be noted that for the item to be evaluated, there MUST be a Manufacturer's brochure availed.

\*Note that the power cord must have a fused three pin power plug.

2: Blade Server	MINIMUM REQUIREMENTS		
Quantity	1 (One)		
Processor	Processor: Intel® Xeon® Processor E7-4830 8C / 2.13GHz		
Processor	No. of processors 2		
System Memory	32GB		
Form Factor	Blade		
	To fit in existing H Series Chassis		
	Server: Hx5 Model		
Operating System	Windows 2012		
Fiber Channel	Compatible with IBM eServer BladeCenter H		
Internal Storage	At least 1TB		
Warranty	3-year on-site warranty (parts and labor)		
Preventive Maintenance during	Twice a year		
warranty period			

These are **MINIMUM** Specifications only. Suppliers must meet or exceed these specifications. It should be noted that for the item to be evaluated, there MUST be a Manufacturer's brochure availed.

\*Note that the power cord must have a **fused three pin power plug**.

3. Rack Mountable Servers	MINIMUM REQUIREMENTS
Quantity	2 (Two)
Form factor/height	2U Rack
Processor	Up to two 12-core Intel Xeon E5-2600 v2 series processors
Cache (Max)	30MB Per processor
Min. Memory	Min 32 GB via slots (UDIMM/RDIMM/LRDIMM/HyperCloud DIMM)
Media bays	Optional ODD and tape drive bay
Disk bays	Sixteen 2.5-inch or six 3.5-inch HDDs or third-two 1.8-inch SSDs
RAID Support	Integrated 6 Gbps or new optional 12 Gbps* hardware RAID-0, -1, -10 with optional RAID -5, 50, -6, -60.
Network Interfaces	4 × 1 GbE (std.), 2 × 10 GbE embedded adapter (slotless opt.)/Trusted Platform Module
Expansion slots	4 – 6 PCle 3.0 ports, optional 4 PCI-X or 2 double-Width PCle (for GPU)
USB PORTS\ VGA ports	2 front/4 back/2 internal\ 1 front/1 back
Min. Internal storage	Up to 25.6 TB (2.5-inch model) or 24 TB (3.5-Inch model) SAS/SATA
Energy-efficiency compliance	80 PLUS Platinum and ENERGY STAR (model dependent) compliance
Power supply	½ Redundant 550 W AC, 750 W AC, 900 W AC, or 750 W DC (model dependent)
Hot-swap components	Power supplies fan modules and hard disk drives
System management	IMM2 with optional FoD remote presence, Predictive Failure Analysis Diagnostic LEDs, light path diagnostics panel, AUTOMATIC Server Restart, System Director and Active Energy Manager
Operating systems supported	Microsoft Windows Server, Red Hat Enterprise Linux, SUSE Linux Enterprise Server, VMware vSphere
Warranty	3 years customer replaceable unit and onsite warranty next business day. Server upgrade should be included

# Preventive Maintenance during warranty

Twice a year

These are **MINIMUM** Specifications only. Suppliers must meet or exceed these specifications. It should be noted that for the item to be evaluated, there MUST be a Manufacturer's brochure availed.

\*Note that the power cord must have a **fused three pin power plug**.

Hot-swap components  Power supplies fan modules and hard disk drives  IMM2 with optional FoD remote presence, Predictive Failure Analysis Diagnosti LEDs, light path diagnostics panel, AUTOMATIC Server Restart, System Director and Active Energy Manager  Operating systems supported  Microsoft Windows Server, Red Hat Enterprise Linux, SUSE Linux Enterprise Server, VMware vSphere  Warranty  3 years customer replaceable unit and onsite warranty next business day. Serve	*Note that the power cord must have	a fused three pin power plug.
Processor  Up to two 12-core Intel Xeon E5-2600 v2 series processors >2.0 GHz  Cache (Max)  30MB Per processor  Min. Memory  Min 32 GB via slots (UDIMM/RDIMM/LRDIMM/HyperCloud DIMM)  Media bays  Optional ODD and tape drive bay  Disk bays  2.5-inch or 3.5-inch HDDs or 1.8-inch SSDs  RAID Support  Integrated 6 Gbps or new optional 12 Gbps* hardware RAID-0, -1, -10 with optional RAID -5, 50, -6, -60.  Network Interfaces  4 × 1 GbE (std.), 2 × 10 GbE embedded adapter (slotless opt.)/Trusted Platform Module  Expansion slots  4 - 6 PCle 3.0 ports, optional 4 PCl-X or 2 double-Width PCle (for GPU)  USB PORTS\ VGA ports  2 front/4 back/2 internal\ 1 front/1 back  Min. Internal storage  Up to 4 TB (2.5-inch model) or 4 TB (3.5-Inch model) SAS/SATA  Energy-efficiency compliance  80 PLUS Platinum and ENERGY STAR (model dependent) compliance  Power supply  ½ Redundant 550 W AC, 750 W AC, 900 W AC, or 750 W DC (model dependent)  Hot-swap components  Power supplies fan modules and hard disk drives  System management  IMM2 with optional FoD remote presence, Predictive Failure Analysis Diagnosti LEDs, light path diagnostics panel, AUTOMATIC Server Restart, System Director and Active Energy Manager  Operating systems supported  Microsoft Windows Server, Red Hat Enterprise Linux, SUSE Linux Enterprise Server, VMware vSphere  Warranty  3 years customer replaceable unit and onsite warranty next business day. Server	4. Quantity	7 (Seven) Rack Mountable Servers
Cache (Max)       30MB Per processor         Min. Memory       Min 32 GB via slots (UDIMM/RDIMM/LRDIMM/HyperCloud DIMM)         Media bays       Optional ODD and tape drive bay         Disk bays       2.5-inch or 3.5-inch HDDs or 1.8-inch SSDs         RAID Support       Integrated 6 Gbps or new optional 12 Gbps* hardware RAID-0, -1, -10 with optional RAID -5, 50, -6, -60.         Network Interfaces       4 × 1 GbE (std.), 2 × 10 GbE embedded adapter (slotless opt.)/Trusted Platform Module         Expansion slots       4 - 6 PCle 3.0 ports, optional 4 PCl-X or 2 double-Width PCle (for GPU)         USB PORTS\ VGA ports       2 front/4 back/2 internal\ 1 front/1 back         Min. Internal storage       Up to 4 TB (2.5-inch model) or 4 TB (3.5-Inch model) SAS/SATA         Energy-efficiency compliance       80 PLUS Platinum and ENERGY STAR (model dependent) compliance         Power supply       ½ Redundant 550 W AC, 750 W AC, 900 W AC, or 750 W DC (model dependent)         Hot-swap components       Power supplies fan modules and hard disk drives         System management       IMM2 with optional FoD remote presence, Predictive Failure Analysis Diagnosti LEDs, light path diagnostics panel, AUTOMATIC Server Restart, System Director and Active Energy Manager         Operating systems supported       Microsoft Windows Server, Red Hat Enterprise Linux, SUSE Linux Enterprise Server, VMware vSphere         Warranty       3 years customer replaceable unit and onsite warranty next business day. Server <th>Form factor/height</th> <th>2U Rack</th>	Form factor/height	2U Rack
Min. Memory       Min 32 GB via slots (UDIMM/RDIMM/LRDIMM/HyperCloud DIMM)         Media bays       Optional ODD and tape drive bay         Disk bays       2.5-inch or 3.5-inch HDDs or 1.8-inch SSDs         RAID Support       Integrated 6 Gbps or new optional 12 Gbps* hardware RAID-0, -1, -10 with optional RAID -5, 50, -6, -60.         Network Interfaces       4 × 1 GbE (std.), 2 × 10 GbE embedded adapter (slotless opt.)/Trusted Platform Module         Expansion slots       4 - 6 PCle 3.0 ports, optional 4 PCl-X or 2 double-Width PCle (for GPU)         USB PORTS\ VGA ports       2 front/4 back/2 internal\ 1 front/1 back         Min. Internal storage       Up to 4 TB (2.5-inch model) or 4 TB (3.5-Inch model) SAS/SATA         Energy-efficiency compliance       80 PLUS Platinum and ENERGY STAR (model dependent) compliance         Power supply       ½ Redundant 550 W AC, 750 W AC, 900 W AC, or 750 W DC (model dependent)         Hot-swap components       Power supplies fan modules and hard disk drives         System management       IMM2 with optional FoD remote presence, Predictive Failure Analysis Diagnosti LEDs, light path diagnostics panel, AUTOMATIC Server Restart, System Director and Active Energy Manager         Operating systems supported       Microsoft Windows Server, Red Hat Enterprise Linux, SUSE Linux Enterprise Server, VMware vSphere         Warranty       3 years customer replaceable unit and onsite warranty next business day. Server	Processor	Up to two 12-core Intel Xeon E5-2600 v2 series processors >2.0 GHz
Disk bays   2.5-inch or 3.5-inch HDDs or 1.8-inch SSDs	Cache (Max)	30MB Per processor
Disk bays  2.5-inch or 3.5-inch HDDs or 1.8-inch SSDs  RAID Support  Integrated 6 Gbps or new optional 12 Gbps* hardware RAID-0, -1, -10 with optional RAID -5, 50, -6, -60.  Network Interfaces  4 × 1 GbE (std.), 2 × 10 GbE embedded adapter (slotless opt.)/Trusted Platform Module  Expansion slots  4 - 6 PCle 3.0 ports, optional 4 PCl-X or 2 double-Width PCle (for GPU)  USB PORTS\ VGA ports  2 front/4 back/2 internal\ 1 front/1 back  Min. Internal storage  Up to 4 TB (2.5-inch model) or 4 TB (3.5-inch model) SAS/SATA  Energy-efficiency compliance  80 PLUS Platinum and ENERGY STAR (model dependent) compliance  Power supply  ½ Redundant 550 W AC, 750 W AC, 900 W AC, or 750 W DC (model dependent)  Hot-swap components  Power supplies fan modules and hard disk drives  System management  IMM2 with optional FoD remote presence, Predictive Failure Analysis Diagnosti LEDs, light path diagnostics panel, AUTOMATIC Server Restart, System Director and Active Energy Manager  Operating systems supported  Microsoft Windows Server, Red Hat Enterprise Linux, SUSE Linux Enterprise Server, VMware vSphere  Warranty  3 years customer replaceable unit and onsite warranty next business day. Server	Min. Memory	Min 32 GB via slots (UDIMM/RDIMM/LRDIMM/HyperCloud DIMM)
Integrated 6 Gbps or new optional 12 Gbps* hardware RAID-0, -1, -10 with optional RAID -5, 50, -6, -60.  Network Interfaces  4 × 1 GbE (std.), 2 × 10 GbE embedded adapter (slotless opt.)/Trusted Platform Module  Expansion slots  4 - 6 PCle 3.0 ports, optional 4 PCl-X or 2 double-Width PCle (for GPU)  USB PORTS\ VGA ports  2 front/4 back/2 internal\ 1 front/1 back  Min. Internal storage  Up to 4 TB (2.5-inch model) or 4 TB (3.5-Inch model) SAS/SATA  Energy-efficiency compliance  Power supply  ½ Redundant 550 W AC, 750 W AC, 900 W AC, or 750 W DC (model dependent)  Hot-swap components  Power supplies fan modules and hard disk drives  System management  IMM2 with optional FoD remote presence, Predictive Failure Analysis Diagnosti LEDs, light path diagnostics panel, AUTOMATIC Server Restart, System Director and Active Energy Manager  Operating systems supported  Microsoft Windows Server, Red Hat Enterprise Linux, SUSE Linux Enterprise Server, VMware vSphere  Warranty  3 years customer replaceable unit and onsite warranty next business day. Server	Media bays	Optional ODD and tape drive bay
optional RAID -5, 50, -6, -60.  Network Interfaces  4 × 1 GbE (std.), 2 × 10 GbE embedded adapter (slotless opt.)/Trusted Platform Module  Expansion slots  4 - 6 PCle 3.0 ports, optional 4 PCl-X or 2 double-Width PCle (for GPU)  USB PORTS\ VGA ports  2 front/4 back/2 internal\ 1 front/1 back  Min. Internal storage  Up to 4 TB (2.5-inch model) or 4 TB (3.5-Inch model) SAS/SATA  Energy-efficiency compliance  80 PLUS Platinum and ENERGY STAR (model dependent) compliance  Power supply  ½ Redundant 550 W AC, 750 W AC, 900 W AC, or 750 W DC (model dependent)  Hot-swap components  Power supplies fan modules and hard disk drives  System management  IMM2 with optional FoD remote presence, Predictive Failure Analysis Diagnosti LEDs, light path diagnostics panel, AUTOMATIC Server Restart, System Director and Active Energy Manager  Operating systems supported  Microsoft Windows Server, Red Hat Enterprise Linux, SUSE Linux Enterprise Server, VMware vSphere  Warranty  3 years customer replaceable unit and onsite warranty next business day. Server	Disk bays	2.5-inch or 3.5-inch HDDs or 1.8-inch SSDs
Expansion slots  4 – 6 PCle 3.0 ports, optional 4 PCl-X or 2 double-Width PCle (for GPU)  USB PORTS\ VGA ports  2 front/4 back/2 internal\ 1 front/1 back  Min. Internal storage  Up to 4 TB (2.5-inch model) or 4 TB (3.5-Inch model) SAS/SATA  Energy-efficiency compliance  80 PLUS Platinum and ENERGY STAR (model dependent) compliance  Power supply  ½ Redundant 550 W AC, 750 W AC, 900 W AC, or 750 W DC (model dependent)  Hot-swap components  Power supplies fan modules and hard disk drives  System management  IMM2 with optional FoD remote presence, Predictive Failure Analysis Diagnosti LEDs, light path diagnostics panel, AUTOMATIC Server Restart, System Director and Active Energy Manager  Operating systems supported  Microsoft Windows Server, Red Hat Enterprise Linux, SUSE Linux Enterprise Server, VMware vSphere  Warranty  3 years customer replaceable unit and onsite warranty next business day. Server	RAID Support	
USB PORTS\ VGA ports  2 front/4 back/2 internal\ 1 front/1 back  Min. Internal storage  Up to 4 TB (2.5-inch model) or 4 TB (3.5-Inch model) SAS/SATA  Energy-efficiency compliance  80 PLUS Platinum and ENERGY STAR (model dependent) compliance  Power supply  ½ Redundant 550 W AC, 750 W AC, 900 W AC, or 750 W DC (model dependent)  Hot-swap components  Power supplies fan modules and hard disk drives  System management  IMM2 with optional FoD remote presence, Predictive Failure Analysis Diagnosti LEDs, light path diagnostics panel, AUTOMATIC Server Restart, System Director and Active Energy Manager  Operating systems supported  Microsoft Windows Server, Red Hat Enterprise Linux, SUSE Linux Enterprise Server, VMware vSphere  Warranty  3 years customer replaceable unit and onsite warranty next business day. Server	Network Interfaces	
Min. Internal storageUp to 4 TB (2.5-inch model) or 4 TB (3.5-Inch model) SAS/SATAEnergy-efficiency compliance80 PLUS Platinum and ENERGY STAR (model dependent) compliancePower supply½ Redundant 550 W AC, 750 W AC, 900 W AC, or 750 W DC (model dependent)Hot-swap componentsPower supplies fan modules and hard disk drivesSystem managementIMM2 with optional FoD remote presence, Predictive Failure Analysis Diagnosti LEDs, light path diagnostics panel, AUTOMATIC Server Restart, System Director and Active Energy ManagerOperating systems supportedMicrosoft Windows Server, Red Hat Enterprise Linux, SUSE Linux Enterprise Server, VMware vSphereWarranty3 years customer replaceable unit and onsite warranty next business day. Server	Expansion slots	4 – 6 PCle 3.0 ports, optional 4 PCI-X or 2 double-Width PCIe (for GPU)
Energy-efficiency compliance  80 PLUS Platinum and ENERGY STAR (model dependent) compliance  Power supply  ½ Redundant 550 W AC, 750 W AC, 900 W AC, or 750 W DC (model dependent)  Hot-swap components  Power supplies fan modules and hard disk drives  IMM2 with optional FoD remote presence, Predictive Failure Analysis Diagnosti LEDs, light path diagnostics panel, AUTOMATIC Server Restart, System Director and Active Energy Manager  Operating systems supported  Microsoft Windows Server, Red Hat Enterprise Linux, SUSE Linux Enterprise Server, VMware vSphere  Warranty  3 years customer replaceable unit and onsite warranty next business day. Server	USB PORTS\ VGA ports	2 front/4 back/2 internal\ 1 front/1 back
Power supply  ½ Redundant 550 W AC, 750 W AC, 900 W AC, or 750 W DC (model dependent)  Hot-swap components  Power supplies fan modules and hard disk drives  IMM2 with optional FoD remote presence, Predictive Failure Analysis Diagnosti LEDs, light path diagnostics panel, AUTOMATIC Server Restart, System Director and Active Energy Manager  Operating systems supported  Microsoft Windows Server, Red Hat Enterprise Linux, SUSE Linux Enterprise Server, VMware vSphere  Warranty  3 years customer replaceable unit and onsite warranty next business day. Server	Min. Internal storage	Up to 4 TB (2.5-inch model) or 4 TB (3.5-Inch model) SAS/SATA
Hot-swap components  Power supplies fan modules and hard disk drives  IMM2 with optional FoD remote presence, Predictive Failure Analysis Diagnosti LEDs, light path diagnostics panel, AUTOMATIC Server Restart, System Director and Active Energy Manager  Operating systems supported  Microsoft Windows Server, Red Hat Enterprise Linux, SUSE Linux Enterprise Server, VMware vSphere  3 years customer replaceable unit and onsite warranty next business day. Server	Energy-efficiency compliance	80 PLUS Platinum and ENERGY STAR (model dependent) compliance
System management  IMM2 with optional FoD remote presence, Predictive Failure Analysis Diagnosti LEDs, light path diagnostics panel, AUTOMATIC Server Restart, System Director and Active Energy Manager  Operating systems supported  Microsoft Windows Server, Red Hat Enterprise Linux, SUSE Linux Enterprise Server, VMware vSphere  3 years customer replaceable unit and onsite warranty next business day. Server	Power supply	½ Redundant 550 W AC, 750 W AC, 900 W AC, or 750 W DC (model dependent)
LEDs, light path diagnostics panel, AUTOMATIC Server Restart, System Director and Active Energy Manager  Operating systems supported Microsoft Windows Server, Red Hat Enterprise Linux, SUSE Linux Enterprise Server, VMware vSphere  Warranty 3 years customer replaceable unit and onsite warranty next business day. Serve	Hot-swap components	Power supplies fan modules and hard disk drives
Server, VMware vSphere  3 years customer replaceable unit and onsite warranty next business day. Serve	System management	
· · · · · · · · · · · · · · · · · · ·	Operating systems supported	·
, the same of the	Warranty	3 years customer replaceable unit and onsite warranty next business day. Server upgrade should be included
Preventive Maintenance during warranty period Twice a year		Twice a year

These are **MINIMUM** Specifications only. Suppliers must meet or exceed these specifications. It should be noted that for the item to be evaluated, there MUST be a Manufacturer's brochure availed.

SECTION VI - SCHEDULE OF REQUIREMENTS

Number	Description	Quantity	Delivery schedule (shipment)Weeks/months
1.	Blade Server	4	

<sup>\*</sup>Note that the power cord must have a fused three pin power plug.

2.	Blade Servers	1	
3	Rack Mountable Servers	2	
4	Rack Mountable Servers	7	

C . 1		SECTION VIII - PRICE SCHEDULE FOR GOODS					
tenderer	Tende	er Number _	Page	of			
2	3	4	5	6	7		
Description	Country of origin	Quantity	Unit price	Delivered Duty Paid	of other incidental		
2		Description Country	Description Country Quantity	3 4 5  Description Country Quantity Unit price	Description Country of origin Quantity Unit price Delivered Duty Paid (DDP) per item		

Signature of tenderer	
-----------------------	--

*Note:* In case of discrepancy between unit price and total, the unit price shall prevail.

#### SECTION VIII - TENDER EVALUATION CRITERIA

The received tenders will be evaluated in three stages:

- A. Mandatory Requirements
- B. Technical Evaluation
  - I. Technical Specifications Evaluation
  - II. Technical Evaluation Criteria
- C. Financial Evaluation

## A. MANDATORY REQUIREMENTS (MR)

The following mandatory requirements must be met notwithstanding other requirements in the documents:

No	Requirements	Tenderer's Response
MR 1	Provide documentary evidence of the company's Certificate of Incorporation (Legal structure)	
MR 2	Provide copy of the company's <b>current</b> Certificate of Tax Compliance issued by Kenya Revenue Authority (KRA) Valid up to the date of tender opening.	
MR 3	Submit a completed company's profile using the Confidential Business Questionnaire form provided in this tender document.	
MR 4	Provide copies of audited accounts for the company for the last three accounting years.	
MR 5	Submit with tender a Bid bond / tender security of Kshs 50,000.00	
MR 6	Provide proof of authorization & Support by the equipment manufacturers to sell/service the product in Kenya. A letter of authorization/Tenderer recommendation should be signed by the manufacturer	

## **B. TECHNICAL EVALUATION**

- I. Technical Specifications Evaluation The technical specifications provided for the varied items MUST BE MET for the bidder to qualify to proceed to the next stage for the items passed
- II. Technical Evaluation

NO.	EVALUATION ATTRIBUTE	CRITERIA	SCORE
-----	----------------------	----------	-------

			%
T1	Number of years in the business of supply of servers	<ul> <li>5 Years and above: 15%</li> <li>Others prorated at:</li> </ul> Number of years x 15	15
T2	Qualified staff to support servers. Please provide CVs together with Technical Certificates (These MUST be provided, otherwise, no score).	5 • 5 or more staff: 20% • Others prorated at: Number of clients x 20 5	20
Т3	Provide a list of clients and give references of which the company has installed similar systems each valued at KShs 5 million and above in the last 5 years.	• 5 or more clients: 15% • Others prorated at:  Number of clients x 15  5	15
T4	Financial Stability (Liquidity) a) Profitability Margin	A margin above 30% will score 15 marks; 10-29 % 10 marks and below 10% 5 mark	15
	b) Liquidity Ratio	2:1 – 15 marks; 1:1 – 10marks; less than 1:1 5 mark	15
T5	Delivery/ completion period after the award of tender ( the quoted period should be realistic)	<ul> <li>Shortest period: 20%</li> <li>Others prorated at:</li> </ul> Shortest Period x 20 Tender period	20
	TOTAL	1	100%

Note:

✓ **Profitability Margin** = <u>EBIT</u> Gross Revenue/Sales

✓ **Current Ratio** = <u>Current Assets</u> Current Liabilities

✓ **EBIT** = Earnings Before Interest and Taxes

Only tenders who **score 75 and above out of the maximum 100 scores** on the above Technical Evaluation will qualify for Financial Evaluation.

#### A. FINANCIAL EVALUATION

## LOWEST EVALUATED TENDER (LET)

evaluated. All financial	re 75 % on the Technical Evaluation will have their financial proposal quotations will then be subjected to arithmetic accuracy. The tenderer ce will be declared the Lowest Evaluated Tender (LET).
SECTION IX -	STANDARD FORMS
8.1 <b>FORM OF TEN</b>	DER

		Date Tender No	
To:		Tender 110.	
	[name and address of procuring entity]		
Gentle	lemen and/or Ladies:		
acknown said to (total	1. Having examined the tender documents included the service of the sum of tender documents for the sum of tender amount in words and figures) or such dance with the Schedule of Prices attached herew	s).the receipt of which oply deliver, install and import description) in control other sums as may be	I commission ( Informity with the Informity with th
equipn	2. We undertake, if our Tender is accepte ment in accordance with the delivery schedule sp		
equiva Contra	3. If our Tender is accepted, we will obtated the contract of the form prescribed by	et Price for the due perf	formance of the
	4. We agree to abid by this Tender for a per- for tender opening of the Instructions to tendere be accepted at any time before the expiration of the	rs, and it shall remain bind	
award,	5. This Tender, together with your written a d, shall constitute a Contract, between us. Subject	<u> </u>	
receive	6. We understand that you are not bound to ve.	accept the lowest or any	tender you may
Dated	day of	20	
[signat	ature] [in	n the capacity of]	
Duly a	authorized to sign tender for an on behalf of		_
8.2	CONFIDENTIAL BUSINESS QUESTION	AIRE FORM	
or 2 (c	You are requested to give the particulars indicate ) whichever applied to your type of business. You are advised that it is a serious offence to g		Part 2(a), 2(b) on this form

Part I	– General:						
Busine							Name
Locati	on	of		busine	SS		premises.
Plot		No					Street/Road
					Fax		E mail
Nature			of				Business
Regist			Certificate				No.
Maxin		of business				one time	- Kshs.
Name		your bar					Branch
	Your nar	-		ole Proprietor			Age
	Nationality				Country	of	origin
		• Citi	izenship details	3			
		•		1.			
	Givan datail	s of partners as	Part 2 (b) Parti	nership			
	Name	s of partifers as	ionows.	Nationality		Citizensh	ip Details
	Shares 1						
	2	· · · · · · · · · · · · · · · · · · ·					
	3	3					
	4						
			Part 2 (c) – F	Registered Com	npany		
	Private			or			Public
		minal and issued		npany-			••
		ıl Kshs					
		s of all directors				~	
	l Na	me	N	ationality		Citizensh	ip Details

	Shares
	1
	2.
	3.
	4.
Date	Signature of Candidate

• If a Kenya Citizen, indicate under "Citizenship Details" whether by Birth, Naturalization or registration.

# 8.3 TENDER SECURITY FORM

When	reas	[name d	of the tenderer]		
(here	einafter called "the tenderer") has subr	mitted its tend	ler dated	[date	of
submission o	of tender] for the supply, installation	and	commissioni	ng	of
	[name and/or description	of the equ	uipment] (hereina	fter called "t	he
that WE	of	1	naving our regis	tered office	at
	(hereinafter called "the I				
	g entity} (hereinafter called "the Proci				of
	for which payment we				
	Bank binds itself, its successors, an				
	n Seal of the said Bank this				
the Common	i Scar of the said Bank tins		day 01	20	—
	<del></del> ·				
THE	CONDITIONS of this obligation are:	•_			
1.	C		period of tender	validity	
	ified by the tenderer on the Tender Fo	- 1	oction of tender	varianty	
2.	•		atongo of its	Tender by t	ha
	uring entity during the period of tende		nance of its	render by t	пе
		•	raquirad, ar		
(a)					1
(b)	1	performance	security in accor	dance with t	ne
	Instructions to tenderers;				
<b>33</b> 7			4		- C
	undertake to pay to the Procuring entit				
	en demand, without the Procuring ent	•	_		
-	at in its demand the Procuring er	•		•	
	owing to the occurrence of one or b	both of the tw	o conditions,	specifying t	he
occurred con	ndition or conditions.				
m.			1 11 11 (2)	0) 1 6	
	tender guarantee will remain in force	-		•	
	nder validity, and any demand in	respect the	ereof should reac	h the Bank n	ıot
	e above date.				
[sign	nature of the bank]				

(Amend accordingly if provided by Insurance Company)

0 1	CON		CT		DIA
8.4	CUN	TRA	CI.	rt	JKIVI

THIS	AGREEMENT made the	da	y of	20	between
	[name of Procu	rement entity,	of	[country of	Procurement entity]
(herei	nafter called "the Procurin	g entity) of t	he one part	and	[name of
tender	rer] of[city and	d country of te	<i>nderer]</i> (her	einafter called	"the tenderer") of the
other	part;				
	REAS the Procuring entity				
	nderer for the supply of th	_			[contract
price	in words and figures] (herei	nafter called "	the Contract	Price).	
NOW	THIS AGREEMENT WIT	NESSETH AS	FOLLOWS	<b>:</b>	
1.	In this Agreement word				ne meanings as are
respec	ctively assigned to them in the	-			C
2.	The following documents	shall be deen	ned to form	and be read and	l construed as part of
	greement viz:	oni a a Cale a dual a	ah:44a d h.		
(a)	the Tender Form and the F		submitted by	y the tenderer	
(b)	the Schedule of Requirement the Technical Specification				
(c) (d)	the General Conditions of				
(u) (e)	the Special Conditions of				
(f)	the Procuring entity's Not		vard		
(1)	the Procuring entity 5 140t		vara		
3.	In consideration of the pa	yments to be	made by the	e Procuring ent	ity to the tenderer as
	after mentioned, the tende	•	•	-	•
	and to remedy defects the			_	-
Contr	act		•	-	-
4.	The Procuring entity her	•			
	sions of the goods and the				
	s may become payable under	er the provisio	ns of the Co	ntract at the tin	ies and in the manner
presci	ribed by the contract.				
IN W	ITNESS whereof the par	ties hereto ha	eve caused	this Agreemen	t to be executed in
	dance with their respective l			_	
	1	•	•		
Signe	d, sealed, delivered by	the		(for the Procuri	ng entity
a.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	.1		/C 41 4 1	·1
Signe	d, sealed, delivered by	tne		(for the tendere	r in the presence of _
(Amer	nd accordingly if provided b	v Insurance C	ompany)		
,	in mico. amony ty provided by	, =	······································		

# 8.5 **PERFORMANCE SECURITY FORM**

To				
WHEREAS				
tenderer") has undertaken, in pursuance	e of Contract No	4.0	[ <i>i</i>	reference
number of the contract] dated	20 [description	of goods!	(hereinafter	suppry called "the
Contract'').	[uescripiion	oj goodsj	(ilerematter	canca the
AND WHEREAS it has been stipulated you with a bank guarantee by a reput compliance with the Tenderer's perform	table bank for the nance obligations in	sum specific accordance	ed therein as	s security for
AND WHEREAS we have agreed to gir	ve the tenderer a gu	arantee:		
THEREFORE WE hereby affirm that we tenderer, up to a total of	our first written de cavil or argument, antee] as aforesaid	of the guarant mand declar any sum or without yo	ntee in word ring the tend sums within	s and figure] lerer to be in the limits of
This guarantee is valid until the	day of	20 _		
Signed and seal of the Guarantors				
[name of bank or financi	ial institution]			
[address]				
[date]				

8.6	BANK GUARANTEE FOR ADVANCE PAYMENT FORM
То	[name of Procuring entity]
[nam	e of tender]
Gentl	lemen and/or Ladies:
amen	cordance with the payment provision included in the Special Conditions of Contract, which ids the General Conditions of Contract to provide for advance payment,  [name and address of tenderer]
called prope	d "the tenderer") shall deposit with the Procuring entity a bank guarantee to guarantee its er and faithful performance under the said Clause of the Contract in an amount of
tende surety of ob	the
to be the P	further agree that no change or addition to or other modification of the terms of the Contract performed there-under or of any of the Contract documents which may be made between trocuring entity and the tenderer, shall in any way release us from any liability under this antee, and we hereby waive notice of any such change, addition, or modification.
	guarantee shall remain valid in full effect from the date of the advance payment received by enderer under the Contract until [date].
Your	s truly,
Signa	ature and seal of the Guarantors
	[name of bank or financial institution]
	[address]
	[date]

# 8.7 MANUFACTURER'S AUTHORIZATION FORM

To	[name of the Procuring entity]	
who are of the author subseq	REAS  are established and reputable manufacturers of	[Name and/or description Address of factory] do hereby tt] to submit a tender, and
	ereby extend our full guarantee and warranty as per the Generoods offered for supply by the above firm against this Invitation	
	[Signature for and on behalf of manuf	acturer]
Note:	This letter of authority should be on the letterhead of the signed by a person competent.	Manufacturer and should be
	LETTER OF NOTIFICATION OF AWA	ARD
	Address of Prod	curing Entity

	ender No
Т	ender Name
	s to notify that the contract/s stated below under the above mentioned tender have been ed to you.
1.	Please acknowledge receipt of this letter of notification signifying your acceptance.
2.	The contract/contracts shall be signed by the parties within 30 days of the date of this letter but not earlier than 14 days from the date of the letter.
3.	You may contact the officer(s) whose particulars appear below on the subject matter of this letter of notification of award.
	(FULL PARTICULARS)

SIGNED FOR ACCOUNTING OFFICER